The

I hereby certify that this correspondence is being deposited with the US Postal Service with sufficient postage as First Class Mail in an envelope addressed to the Commissioner for Patents, P.O box 1450, Alexandria, VA 22313-1450, on the date shown below.

	Date: _	June 28,	2007	ву:	eida	Youth		
JUL O	2 2007	A PLOS				A i da Martin	Docket No.	PATENT GC781-2-US
BY & TR	ADEMARK	/	IN THE UNITED STA	TES PATE	NT AND 1	TRADEMA	RK OFFICE	
		Application -Colema)	Group Ar	t Unit:	
•	Serial	No.: 10	/530,556 🗸)	Examiner	: Unassigne	d ,
	Filed:	Novem	ber 5, 2003)			,
	For:		Beta-Glucosidase and I Encoding The Same	Nucleic)			
			Informa	ation Discl	osure St	atement		
	P.O B	3ox 1450	for Patents	•				
	Sir:		,					
	Applic	cants sub	omit herewith patents, p	oublications	or other i	nformation	(listed on the	e attached
	Form	PTO-14	49 and attached thereto	o) of which t	they are a	aware, that	they believe	may be
	mater	rial to the	examination of this ap	plication an	d in respe	ect of which	n there may b	e a duty to
	disclo	se in ac	cordance with 37 CFR §	§1.56.			ı	
	This I	nformati	on Disclosure Statemer	nt:	,			
		-	(a) ☐ accompanies the §1.97(a).	he new pate	ent applica	ation subm	itted herewith	n. 37 CFR
			(b) is filed within the three months after the as set forth in 37 CFR	date of ent				
			(c) 🛛 as far as is kno first Office Action on th		ndersigne	ed, is filed l	pefore the ma	ailing date of a

(d) [is filed after the first Office Action and more than three months after the

as is known to the undersigned, prior to the mailing date of either a final rejection or a notice of allowance, whichever occurs first, and is accompanied by either the fee (\$180.00) set forth in 37 CFR §1.17(p) or a certification as specified in 37 CFR §1.97(e), as checked below. Authorization to charge Deposit Account No. 07-1048 in the amount of \$180.00 to cover the cost of this Information Disclosure Statement is provided in the Transmittal Letter submitted herewith in duplicate.
(e) is filed after the mailing date of either a final rejection or a notice of allowance, whichever occurred first, and is accompanied by authorization (in the Transmittal Letter submitted herewith in duplicate) to charge Deposit Account No. 07-1048 the fee (\$180.00) set forth in 37 CFR §1.17(I)(1) and a certification as specified in 37 CFR §1.97(e), as checked below. This document is to be considered as a petition requesting consideration of the Supplemental Information Disclosure Statement.
[If either of boxes (d) or (e) is checked above, the following "certification" under 37 CFR
§1.97(e) may need to be completed.] The undersigned certifies that:
Each item of information contained in the Information Disclosure Statement was cited in a communication mailed from a foreign patent office in a counterpart foreign application not more than three months prior to the filing of this Information Disclosure Statement.
No item of information contained in this Information Disclosure Statement was cited in a communication mailed from a foreign patent office in a counterpart foreign application or, to the knowledge of the undersigned after making reasonable inquiry, was known to any individual designated in 37 CFR §1.56(c) more than three months prior to the filing of this Information Disclosure Statement.
A copy of the items on Form PTO-1449 is supplied: PCT International Search Report for PCT/
US, filed with attached patents and publications.
☐ each ☑ none ☐ only those listed below:
Those patent(s) or publication(s) which are marked with an asterisk (*) on the attached Form
PTO-1449 are not supplied because they were previously cited by or submitted to the Office in
a prior application, Serial No, filed, and relied upon in this application for an
earlier filing date under 35 USC 120.
Those patent(s) or publication(s) which are marked with two asterisks (**) on the attached Form
PTO-1449 are not supplied. Complete bibliographic information is unknown or unavailable.

application filing date or PCT national stage date of entry filing but, as far

Attorney Docket No. GC781-2-US Page 3

The cited publications are books or reference manuals and are commonly available.

Reproduction of such publications would results in a voluminous submission.

A concise explanation of relevance of the items listed on PTO-1449 is:

not given

given for each listed item

given for only non-English language listed item(s)

in the form of an English language copy of a Search Report from a foreign patent office, issued in a counterpart application, which refers to the

relevant portions of the references.

The Examiner is reminded that a "concise explanation of the relevance" of the submitted prior art "may be nothing more than identification of the particular figure or paragraph of the patent or publication which has some relation to the claimed invention." MPEP §609.

While the information and references disclosed in this Information Disclosure Statement may be "material" pursuant to 37 CFR §1.56, it is not intended to constitute an admission that any patent, publication or other information referred to therein is "prior art" for this invention unless specifically designated as such.

In accordance with 37 CFR §1.97(b), the filing of this Information Disclosure Statement shall not be construed to mean that a search has been made or that no other material information as defined in 37 CFR §1.56(a) exists. It is submitted that the Information Disclosure Statement is in compliance with 37 CFR §1.98 and MPEP §609 and the Examiner is respectfully requested to consider the listed references.

Respectfully submitted,

Date: June 28, 2007

Michael F. Kolman Registration No. 54,234

Genencor International, Inc. 925 Page Mill Road Palo Alto, CA 94304-1013

Tel: 650 846-7614 Fax: 650 845-6504 INFORMATION DISCLOSURE CITATION

1 A

Attorney Docket No.: GC781-2-US	10142	Serial No.: 10/530,556			
Applicant: Dunn-Coleman, et al.	"" 0 5 5001 m				
Filing Date: November 5, 2003	101 0 3 500. B)	Group:			
Page <u>1</u> of <u>5</u>	TO TO AD BUNET	Date of this Submission: June 28, 2007			

US PATENT DOCUMENTS

Examiner's	Document				Sub-	Filing
Initial	Number	Date	Name	Class	Class	Date
	4,435,307	3/6/84	Barbesgaard			
	4,816,567	3/28/89	Cabilly			
	5,648,263	7/15/97	Schulein			
	5,691,178	11/25/97	Schulein		}	
	5,776,757	7/7/98	Schulein			
	6,022,725	2/8/00	Fowler			
	6,184,018	2/6/01	Li			
	6,982,159	9/21/01	Dunn-Coleman			
	7,045,332	12/18/01	Dunn-Coleman			
	7,005,289	12/18/01	Dunn-Coleman			
	Patent Application No.: 20040102619		Dunn-Coleman			11/21/02

FOREIGN PATENT DOCUMENTS

Examiner's	Document				Sub-	Translation
Initials	Number	Date	Country	Class	Class	Yes/No
	WO 00/70031		PCT			
	WO 91/04673		РСТ			
	WO 92/06209		PCT			
	WO 94/28117		PCT			
	WO 96/02551		PCT			
	1,358,599		GB			
	2,094,826	3/2/82	GB			
	2,095,275	3/2/82	GB			

OTHER DOCUMENTS

Examiner's	Author, Title, Date, Pertinent Pages, etc.
Initials	
	Altschul, S. F., et al., J. Mol. Biol. 215:403-410, 1990. Basic Local Alignment Search Tool
	Altschul, S. F., et al., Nucleic Acids Res. 25:3389-3402, 1997. Gapped BLAST and PSI-BLAST: a new generation of protein database search programs.

E.	
Attorney Docket No.: GC781-2-US	Serial No.: 10/530,556
Applicant: Dunn-Coleman, et al.	
Filing Date: November 5, 2003	Group:
Page <u>2</u> of <u>5</u>	Date of this Submission: June 28, 2007

	Aro, N., J Biol Chem. 2001 Jun 29;276(26):24309-14. (Epub 2001 Apr 13.) ACELL, a novel Transciptional Activator Involved in Regulation of Cellulase and Xylanase Genes of Trichoderma reesei.
	Aubert J.P. et al., Academic Press pp. 71-86 (1988) Scale Up Of Cellulase Production and Utilization.
**	Ausubel FM et al., Current Protocols in Molecular Biology, John Wiley & Sons, New York, NY, 1993.
	Baldwin, D., et al., Curr. Opin. Plant Biol. 2(2):96-103, 1999. A Comparison of gel-based, nylon filter and microarray techniques to detect differential RNA expression in plants.
	Barnett, C. C., et al., Bio/Technology, 9:562-567, 1991. Cloning and Amplification of the Gene Encoding An Extracelluar B-Glucosidase From Trichoderma Reesei: Evidence for Improved
**	Baulcombe, D., Arch. Virol. Suppl. 15 :189-201, 1999.
	Bennett, J.W. and Lasure, L.L. (eds.) <i>More Gene Manipulations in Fungi</i> . Academic Press, pp. 396-428
	Campbell, et al., (1989) Curr. Genet. 16:53-56, 1989. Improved transformation efficiency of Aspergillus niger using the homologous niaD gene for nitrate reductase.
	Chen et al., Biochem. Biophys. Acta. 1121:54-60, 1992. Purification and Characterization of two extracellular B-glucosidases from Trichoderma reesei
**	Coligan, J. E. et al., eds., CURRENT PROTOCOLS IN IMMUNOLOGY, 1991.
	Collen, A., et al., Journal of Chromatography A 910:275-284, 2001. Genetically engineered peptide fusions for improved protein partitioning in aqueous two-phase systems.
**	Coughlan, et al., BIOCHEMISTRY AND GENETICS OF CELLULOSE DEGRADATION
	Cummings and Fowler, Curr. Genet. 29:227-233, 1996. Secretion of Trichoderma reesei B-glucosidase by Saccharomyces cerevisiae.
	Dayhoff <i>et al.</i> in Atlas of Protein Sequence and Structure, Volume 5, Supplement 3, Chapter 22, pp. 345-352, 1978. <i>A Model Of Evolutionary Change in Proteins</i>
	Fields and Song, Nature 340:245-246, 1989. A Novel Genetic System To Detect Protein-Protein Interactions.
	Filho, et al. Can. J. Microbiol. 42:1-5, 1996. Purification and Characterization of a B-glucosidase from solid-state cultures of Humicola grisea var.thermoidea.
	Foreman, P. J. Biol. Chem 278:31988-31997. Transcriptional Regulation of Biomass-degrading Enzymes in the Filamentous Fungus Trichoderma reesei.
	Freer, et al. J. Biol. Chem. 268:9337-9342, 1993. Kinetic Characterization of a B-Glucosidase from a Yeast, Candida wickerhamii.
**	Freshney, R. I., ed., ANIMAL CELL CULTURE, 1987.
	Fusarium include Bajar, Podila and Kolattukudy, (1991) Proc. Natl. Acad. Sci. USA 88: 8202-8212
	Goyal,et al. Bioresource Technol. 36-37-50 (1991). Characteristics of Fungal Cellulases.
	Halldorsdottir, S et al., Appl Microbiol Biotechnol. 49(3):277-84, 1998. Cloning, sequencing and overexpression of a Rhodothermus marinus gene encoding a thermostable cellulose of glycosyl hydrolase family 12.
	Henrissat, B. and Bairoch, A. (1993) Biochem. J. 293:781-788. New families in the classification of glycosyl hydrolases based on amino acid sequence similarities.
	Herr et al., Appl. Microbiol. Biotechnol. 5:29-36, 1978. Purification and Properties Of An Extracellular B-Glucosidase from Lenzites Trabea.

Attorney Docket No.: GC781-2-US	Serial No.: 10/530,556
Applicant: Dunn-Coleman, et al.	
Filing Date: November 5, 2003	Group:
Page <u>3</u> of <u>5</u>	Date of this Submission: June 28, 2007

Hu et al., Mol Cell Biol. vol.11, no. 11, pp. 5792-5799, 1991. Antibodies Specific For the Human Retionblastoma Protein Identify A Family Of Related Polypeptides. Ilmen, M. et al., Appl. Environ. Microbiol. 63:1298-1306 (1997). Regulation of Cellulase Gen
Expression in the Filamentous Fungus Trichoderma reesei.
Jakobovits, A, Curr Opin Biotechnol <u>6</u> (5):561-6, 1995. <i>Production of Fully Human Antibodies L Transgenic mice</i> .
Jakobovits, A, et al., Ann NY Acad Sci 764:525-35, 1995. Production of Antigen-Specific Hum Antibodies from Mice Engineered With Human Heavy and Light Chain YAC's.
Jones et al., Nature 321:522-525, 1986. Replacing the complementarity determining regions in human antibody with those from a mouse.
Kawaguchi, T et al., Gene 173(2):287-8, 1996. Cloning and sequencing of the cDNA encoding glucosidase 1 from Aspergillus aculeatus.
Kelley et al. EMBO J. 4 :475-479, 1985. Transformation of Aspergillus niger by the amdS gene Aspergillus nidulans
Knowles, J. et al., TIBTECH 5, 255-261, 1987. Cellulase families and their genes.
Kohler and Milstein, Nature 256:495, 1975. Continuous cultures of fused cells secreting antibo of predefined specificity.
Krishna, S. et al., Bioresource Tech. 77:193-196, 2001. Simultaneous saccharification and fermentation of lignocelllulosic wastes to ethanol using a thermotolerant yeast.
Kumar, A., et al., Textile Chemist and Colorist 29:37-42, 1997. Optimizing the use of cellulose enzymes in finishing cellulosic fabrics.
Lehtio, J. et al., FEMS Microbiology Letters 195:197-204, 2001. Directed immobilization of recombinant staphylococci on cotton fibers by functional display of a fungal cellulose-binding domain.
Li and Ljungdahl Appl. Environ. Microbiol. 62:209-213, 1996. Expression of Aureobasidium pullulans xynA in, and Secretion of the Xylanase from, Saccharomyces cerevisiae.
Linder, M. and Teeri, T.T., Biotechnol. 57:15-28, 1997.
Loftus, J. et al., Science, 249:915-918, 1990 . A B3 Integrin Mutation Abolishes Ligand Binding and Alters Divalent Cation-Dependent Conformation.
Lorito, Hayes, DiPietro and Harman (1993) Curr. Genet. 24: 349-356;
Medve, J. et al., J. Chromatography A 808:153, 1998. lon-exchange chromatographic purificat and quantitative analysis of trichoderma reesei cellulases cellobiohydrolase I, II and endoglucanase II by fast protein liquid chromatography.
Ohmiya <i>et al.</i> , Biotechnol. Gen. Engineer. Rev. 14:365-414, 1997.
Okada, M. et al., Appl. Environ. Microbiol., 64:555-563, 1988. Molecular Characterization and Heterologous Expression of the Gene Encoding a Low-Molecular-Mass Endoglucanase from Trichoderma reesei QM9414.
Ooi et al., Nucleic Acid Res. 18:5884, 1990. Complete nucleotide sequence of a gene coding Aspergillus aculeatus cellulase (FI-CMcase)
Ortega et al., International Biodeterioration and Biodegradation 47:7-14, 2001. Kinetics of cellulose saccharification by Trichoderma reesei cellulases.
Penttila et al., Gene 45:253-263, 1986. Homology between cellulase genes of Trichoderma reesei
Penttila et al., Gene 63: 103-112, 1988. Efficient secretion of two fungal cellobiohydrolases by

ν _ω ,	
Attorney Docket No.: GC781-2-US	Serial No.: 10/530,556
Applicant: Dunn-Coleman, et al.	
Filing Date: November 5, 2003	Group:
Page <u>4</u> of <u>5</u>	Date of this Submission: June 28, 2007

	Saccharomyces cerevisiae.
	Penttila et al., Yeast 3:175-185, 1987. Expression of Two Trichoderma reesei Endoglucanase in
. =	the Yeast Saccharomyces cerevisiae. Pere, J., et al., In Proc. Tappi Pulping Conf., Nashville, TN, 27-31, pp. 693-696, 1996.
**	Pourquie, J. et al., BIOCHEMISTRY AND GENETICS OF CELLULOSE DEGRADATION, eds.
	Riechmann et al., Nature 332:323-327, 1988. Reshaping human antibodies for therapy.
	Rothstein <i>et al.</i> , Gene 55:353-356, 1987. Synthesis and Secretion of wheat a-amylase in Saccharomyces ceresvisiae.
	Saarilahti et al., Gene 90:9-14, 1990. CelS: a novel endoglucanase identified from Erwinia carotovora subsp. Carotovara.
	Sakamoto <i>et al.</i> , Curr. Genet. 27:435-439, 1995
	Saloheimo M, et al., Gene 63:11-22, 1988. EGIII, a new endoglucanase from Trichoderma reesei; the characterization of both gene and enzyme.
	Saloheimo, A. et al., Molecular Microbiology, 13:219-228, 1994. A novel, small endoglucanase gene, eg15, from Trichoderma reesei isolated by expression in yeast.
·	Saloheimo, M. et al., Eur. J. Biochem., 249:584-591, 1997. cDNA cloning of a Trichoderma reesei cellulose and demonstration of endoglucanase activity by expression in yeast.
	Schulein, Methods Enzymol., 160, 25, pages 234 et seq, 1988. Cellulase of Trichoderma reesei.
	Scopes, Methods Enzymol. 90: 479-91, 1982. Purification of all glycolytic enzymes from one muscle extract.
	Shoemaker, S. et al., Bio/Technology, 1:691-696, 1983. Molecular cloning of Exo- Cellobiohydrolase I Dervived from Trichoderma Reesei Strain I.27.
	Spilliaert R, et al., Eur J Biochem. 224(3):923-30, 1994. Cloning and sequencing of a Rhodothermus marinus gene, bg1A, coding for a thermostable B-glucanase and its expression in Escherichia coli.
	Stahlberg, J. et al., Bio/Technol. 9:286-290, 1991. A New model for enzymatic hydrolysis of cellulose based on the two-domain structure of cellobiohydrolase I.
**	Strathern <i>et al.</i> , eds. (1981) The Molecular Biology of the Yeast Saccharomyces, Cold Spring Harbor Press, Plainview. N.Y.
	Suurnakki, A. et al., Cellulose 7:189-209, 2000. Trichoderma reesei cellulases and their core domains in the hydrolysis and modification of chemical pulp.
	Teeri, T. et al., Gene, 51:43-52, 1987. Homologous domains in Trichoderma reesei cellulytic enzymes
	Te'o, J. et al., FEMS Microbiology Letters 190:13-19, 2000. Codon optimization of xylanase gene xynB from the thermophilic
	Timberlake et al., Cell 1:29-37, 1981. Organization of a Gene Cluster Expressed Specifically in The Asexual Spores of A. nidulans.
	Tomme, P. et al., Eur. J. Biochem. 170:575-581, 1988. Studies of the cellulolytic system of trichoderma reesei QM 9414.
	Tormo, J. et al., EMBO J. 15:5739-5751, 1996. Crystal structure of a bacterial family-III cellulose-binding domain; a general mechanism for attachment to cellulose.
	Tyndall, R.M., Textile Chemist and Colorist 24:23-26, 1992. Improving the softness and surface appearance of cotton fabrics and garments by treatments with cellulose enzymes.
	Van Rensburg et al., Yeast 14:67-76, 1998. Engineering Yeast for Efficent Cellulose Degradation

h.	
Attorney Docket No.: GC781-2-US	Serial No.: 10/530,556
Applicant: Dunn-Coleman, et al.	
Filing Date: November 5, 2003	Group:
Page <u>5</u> of <u>5</u>	Date of this Submission: June 28, 2007

if not in conformance and not considered. Include copy of this form with next communication to applicant. PTO-1449		
	· · · · · · · · · · · · · · · · · · ·	tation is in conformance with MPEP 609; draw line through citation
Examiner		Date Considered
	Wood, Biochem. Soc. Trans., 13, pp. 407-410, 1985. Properties of cellulolytic enzyme systems.	
**	Wells et al., Philos. Trans. R. Soc. London SerA 317:415, 1986. Importance of hydrogen-bond formation in stabilization the transition state of subtilisin. Wood et al., METHODS IN ENZYMOLOGY	
	Wells et al., Gene 34:315, 1985. Cast multiple mutations at defined sites.	sette mutagenesis; an efficient method for generation of
	Warrington, et al., Genomics 13:803-8	08, 1992
	Verhoeyen et al., Science 239:1534-1 antilysozyme Activity.	536, 1988. Reshaping Human Antibodies : Grafting an
	VanMontagu and Herrera-Estrella (19	990) Curr. Genet. 17:169-174
	Van Tilbeurgh, H. et al., FEBS Lett. 20 cellobiohydrolase I from Trichoderma	04:223-227, 1986. Limited proteolysis of the reesei.